

Monochrome laser multifunction product



Lexmark XM1145 and XM3150

Powerful. Compact.



Mono



Duplex printing



Solutions



Duplex RADF



Security



Up to 50 ppm



4.3-inch or
7-inch touch
screen



Network



Front USB

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance. And at the same time, help you minimize the number of cartridges you use over the life of a printer and conserve paper and energy.


The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ Environmental Leadership Council





Powerful performance

The Lexmark XM1145 and XM3150 multifunction systems will help propel your business forward. Our solutions are capable, eco-friendly systems that simplify processes and help you quickly respond to changing business needs.

- ▶ Process even the most complex jobs utilizing the 800MHz dual-core processing power and up to 3GB of memory
- ▶ Get work done quickly with print and copy speeds up to 50 ppm, and produce your first page in as little as 6.5 seconds
- ▶ Produce professional output with a system that delivers consistent image quality on a diverse range of materials
- ▶ Instant warm-up fuser helps reduce energy consumption and improve time to first page

Business productivity

The Lexmark XM1145 and XM3150 combine exceptional multifunction performance with time-saving applications designed to make you more productive.

- ▶ Save time with fast two-sided color scanning in a single pass and quickly convert hard-copy documents into a digital format
- ▶ Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job
- ▶ Scan to multiple destinations, including scan to network, email, FTP, fax and more
- ▶ For higher volume print needs, optional input capacity can be added to keep jobs moving
- ▶ An in-line stapler option on the XM3150 will finish the job

Easy and intuitive

The Lexmark XM1145 and XM3150 are designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- ▶ The easy to navigate 4.3-inch or 7-inch touch screen provides audible feedback to make completing tasks intuitive
- ▶ Print and scan preview features help you select documents or specific pages within a document
- ▶ Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode
- ▶ Manage your devices with available software



Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM1145 and XM3150 platform lets you interact with business applications directly on the device or with a server, on premise or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The customizable, 4.3-inch or 7-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

Examples of preloaded solutions on XM1145 and XM3150 MFPs:



Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders or FTP sites.



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Scan to Network Basic

Scan a hard-copy document and route the image to one of 100 destinations.



Customer Support

This application provides you with an easy way to send information about your device to your authorized dealer or internal help desk.

*Additional Lexmark solutions are available through your authorized Lexmark Partner.



Professional-quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place, at the right time and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.* Solutions are customized through your dealer.

Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

Device management. Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

Device hardening. Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

Device operation. Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security.

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation



Intuitive color touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



XM3150 with 7-inch color touch screen



XM1145 with 4.3-inch color touch screen



Flexible media handling

Add additional input capacity to handle higher volume output needs or an in-line stapler option for the XM3150 to finish the job.



Automatic document feeder

Save time by scanning both sides of your document with robust color-scanning capabilities and ultrasonic multi-feed detection to reduce jams.



Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats.



Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



Lexmark's Unison™ Toner

Advanced toner science- powerful enough to deliver consistently outstanding image quality, with a shake-free print system.




Eco-friendly features



Easy-to-access features like Eco-Mode to reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

Monochrome laser multifunction product

XM1145



XM3150



Inline stapler



250-sheet tray /
550-sheet tray



Lexmark XM1145 and XM3150

Part # Models

| | |
|---------|----------------|
| 35S5705 | Lexmark XM1145 |
| 35S6830 | Lexmark XM3150 |

Part # Laser toner/print cartridge

| | |
|---------|-------------------------------|
| 24B6035 | M1145, XM1145 Toner cartridge |
| 24B6040 | Imaging Unit |
| 24B6186 | Toner cartridge |
| 35S8500 | Staple cartridges |

Part # Paper handling

| | |
|----------|------------------------------|
| 35S0567 | 550-sheet tray |
| 23S50267 | 250-sheet tray |
| 35S8000 | MX61x, XM3150 inline stapler |

Part # Furniture

| | |
|---------|--------------------------|
| 35S8502 | Adjustable printer stand |
| 3073173 | Swivel cabinet |

Part # Memory options

| | |
|---------|-------------------------------|
| 57X9016 | 1024MBx32 DDR3-DRAM |
| 57X9012 | 2048MBx32 DDR3-DRAM |
| 57X9101 | 256MB Flash Memory Card |
| 27X0210 | 160+ GB hard disk |
| 57X9115 | Japanese font card |
| 57X9114 | Korean font card |
| 57X9112 | Simplified Chinese font card |
| 57X9110 | Traditional Chinese font card |

Part # Application Solutions


| | |
|---------|--|
| 35S5889 | MX410, MX51x Card for IPDS |
| 35S5888 | MX410, MX51x Forms and Barcode Card |
| 35S5890 | MX410, MX51x Card for PRESCRIBE Emulation |
| 35S6851 | MX61x, XM3150 Card for IPDS |
| 35S6850 | MX61x, XM3150 Forms and Barcode Card |
| 35S6852 | MX61x, XM3150 Card for PRESCRIBE Emulation |

Part # Connectivity


| | |
|---------|--|
| 1021294 | USB (2 meter) cable |
| 27X0903 | Lexmark MarkNet 8350 802.11b/g/n Wireless for MX510 and MX610 Series |
| 27X0901 | Parallel 1284-B Interface Card |
| 1021231 | Parallel Cable (10-foot) |
| 27X0900 | RS-232C Serial Interface Card |

Part # Service parts

| | |
|---------|---|
| 40X9135 | Fuser Maintenance Kit, 110-120V |
| 40X9108 | ADF Separator Roller |
| 40X9137 | MX61x, XM3150 Fuser Maintenance Kit, 110-120V |



Adjustable printer stand



Swivel cabinet

Monochrome laser multifunction product



| Product specifications | Lexmark XM1145 | Lexmark XM3150 |
|--|--|---|
| Printing | | |
| Display | Lexmark e-Task 4.3-inch (10.9 cm) color touch screen | Lexmark e-Task 7-inch (17.8 cm) color touch screen |
| Print Speed: Up to ⁷ | Black: 45 ppm | Black: 50 ppm |
| Time to First Page: As fast as | Black: 6.5 seconds | |
| Print Resolution | Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality | |
| Memory / Processor | Standard: 512 MB / Maximum: 2560 MB / Dual Core, 800 MHz | Standard: 1024 MB / Maximum: 3072 MB / Dual Core, 800 MHz |
| Hard Disk | Option available | |
| Recommended Monthly Page Volume ³ | 2000 - 12000 pages | 2000 - 15000 pages |
| Maximum Monthly Duty Cycle: Up to ⁴ | 120000 pages per month | 175000 pages per month |
| Copying | | |
| Copy Speed: Up to ⁷ | Black: 45 cpm | Black: 50 cpm |
| Time to First Copy: As fast as | Black: 6.5 seconds | |
| Scanning | | |
| Scanner Type / ADF Scan | Flatbed scanner with ADF / RADF (Reversing Duplex) | |
| A4/Ltr Duplex Scan Speed: Up to | Black: 18 / 19 sides per minute / Color: 8 / 9 sides per minute | Black: 20 / 21 sides per minute / Color: 13 / 14 sides per minute |
| A4/Ltr Simplex Scan Speed: Up to | Black: 41 / 43 sides per minute / Color: 19 / 20 sides per minute | Black: 45 / 48 sides per minute / Color: 30 / 32 sides per minute |
| Faxing | | |
| Modem Speed | ITU T.30, V.34 Half-Duplex, 33.6 Kbps | |
| Supplies | | |
| Laser Cartridge Yields (up to) ¹ | 16,000-page Extra High Yield Cartridge | |
| Imaging Unit Estimated Yield: Up to ⁵ | 60000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage | |
| Cartridge(s) Shipping with Product ⁸ | 5,000-page Starter Return Program Toner Cartridge | 7,500-page Starter Return Program Toner Cartridge |
| Paper Handling | | |
| Included Paper Handling | Integrated Duplex, 150-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 250-Sheet Input | 250-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input |
| Optional Paper Handling | 550-Sheet Lockable Tray, 550-Sheet Tray, 250-Sheet Tray | Inline Stapler, 550-Sheet Lockable Tray, 550-Sheet Tray, 250-Sheet Tray |
| Paper Input Capacity: Up to | Standard: 350 pages 20 lb or 75 gsm bond / Maximum: 2000 pages 20 lb or 75 gsm bond | Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 2300 pages 20 lb or 75 gsm bond |
| Paper Output Capacity: Up to | Standard: 150 pages 20 lb or 75 gsm bond / Maximum: 150 pages 20 lb or 75 gsm bond | Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 250 pages 20 lb or 75 gsm bond |
| Media Types Supported | Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Envelopes, Card Stock | |
| Media Sizes Supported | A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope | |
| General Information⁶ | | |
| Standard Ports | Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot | |
| Optional Network Ports / Optional Local Ports | Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial | |
| Noise Level: Operating | Print: 55 dBA / Copy: 56 dBA / Scan: 55 dBA | |
| Specified Operating Environment | Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F) | |
| Size (in. - H x W x D) / Weight (lb.) | 19.8 x 19.3 x 17.8 in. / 48 lb. | 22.1 x 19.3 x 18.9 in. / 52 lb. |

¹Average yield based on approximately 5% print coverage. ²Actual Yield may vary based on factors such as number of pages per print job, device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ³Recommended Monthly Page Volume³ is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ⁴Maximum Monthly Duty Cycle⁴ is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁶Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁷Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁸Average standard page yield value declared in accordance with ISO/IEC 19752.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR[®] is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.